MP20140



**Product Title** 

Elasticated Meat Ties Red 9CM 1000 Per Bag

Product Code



### Product Description

Food-grade natural rubber thread covered with red and raw polyester yarns and then tied in order to obtain a ring whose length, when it is stretched, is the one guaranteed in the technical specifications.

### Intended use

Elastic ring used for tying poultry and meat products.

### Reference Regulations

Compliance to European Regulations (EC 1935/2004, 2023/2006, 1895/2005, 10/2011, 852/2004), as well as Italian (Decreto ministeriale 21/03/1973 and DPR 777/82 and following amendments) and American Laws (FDA CFR Title 21 Food and Drug Administration, in the related specific chapters according to product composition).

### Certification

UNI EN ISO 9001:2015 ; BRC/IOP ED.6

### Warnings

Not suitable for contact with flame. Do not swallow. Avoid improper use. This product contains latex.



### Instructions for use

Tying of poultry and meat products before roasting.

### Product storage

Keep away from heat, dampness and light sources.

### Related enclosed documents

Declaration of conformity of every batch with respect to the reference regulations. Bill of lading.

### Packaging information

Rings are sold in PE/LD bags, contained in proper carton boxes. Bags and carton boxes are labelled; the data which guarantee the traceability of the product are printed on those labels.

### Disposal information

Disposal must be carried out in compliance with related regulations.

### **Guaranteed performances**

These rings are suitable for contact with food and generally meat, during roasting at 175°C for 2 hours in presence of water and/or oil. The guaranteed characteristics are: length of the stretched ring and amount of rings per bag.

## Composition

PES20% LATEX80%



Product available versions														
Item code Item description				0 DZ D/D			Rings per bags			Number of bags per carton b 20				
Product technical data         Bag weight(Kg)       Ring weight(g)       Length(cm) when stretched Length (cm)       Applied       Number														
Bag weight(Kg)	Ring v	weight(	(g)		h (cm) wh o the a					ched		Applied load Kg	Number of latex	
	std	min	max	std	min	max	* +/-		min	max	8 +/-	Ioad ng	threads	
0,87	0,175	0,157	0,193	18,0	16,7	19,3	7,0	4,5	4,1	4,9	8,0	2,5	2	
Product availab	Product available versions													
Item code Item description 07000094 FRALAST 5,5/614 5000			0 PZ. R/B			Rings per bags NR 5.000,00			Number of bags per carton b 20			ton b		
Product technical data														
Bag weight (Kg) Ring weight (g) Length (cm) when stretched Length (cm) Applied Number														
			due to the applied weight when unstre					unstret	tched load Kg of latex					
1.05	std	min 0,189	max	std	min 20,5	max	<u></u>	std 5,5	min	max	8 +/-	0 E	threads 2	
1,05	.,		0,231	22,0	20,5	23,5	7,0	5,5	5,1	5,9	8,0	2,5	4	
Product available versions														
Item code Item description 07000095 FRALAST 7 /614 5000				D PZ. R/B NR				ngs per bags 5.000,00			Number of bags per carton be 20			
Product technic	al data				-								1	
Bag weight(Kg)	Ring w	weight(	(g)		h (cm) wh							Applied	Number	
	std	min	max	due t std	o the a min	max	1 weigh:  % +/-	when when	unstret  min	ched max	% +/-	load Kg	of latex threads	
1,20		0,216			23,3	26,8	7,0	7,0	6,4	7,6	8,0	2,5	2	
Product availab	le versi	ions											I I	
Item code Item d							Rings pe	er bags		Number	of bag	s per cart	ton be	
07000191 FRALAST 8 /614 7000			PZ. R/B NR 7.000,00					0	10					
Product technic	al data													
Bag weight(Kg)	<pre>weight(Kg) Ring weight(g)</pre>				Length (cm) when stretched Length (cm)					Applied			Number	
std min max			due to the applie std min max			d weight when unstret  % +/- std  min			max  % +/-		load Kg	of latex threads		
1,82	0,260	0,234	-		27,0	31,0	7,0	8,0	7,4	8,6	8,0	2,5	2	
Product available versions														
Item code Item o				Rings per bags			Number of bags per carton b			ton b				
07000127 FRALA			5000	) PZ.	R/B		NR 5	.000,0	0			10		
Product technical data														
Bag weight(Kg)	Ring v	weight(	(g)				retched Length (cm) d weightwhen unstret			ched		Applied load Kg	Number of latex	
	std	min	max	std	min	max	% +/-		min	max	8 +/-	10au Kg	threads	
2,02	0,405	0,364	0,445	50,0	47,5	52,5	5,0	13,5	12,8	14,2	5,0	2,5	2	
Product available versions														
Item code Item c 07010006 FRALA		tion 9/614	4 R/B				Rings per bags NR 7.000,00			Number of bags per carton b 10				
Product technical data														
Bag weight (Kg)			(q)	Lengt	h (cm) wh	nen sti	retched	Lengt	h (cm)			Applied	Number	
	std	min	max		o the a			when a		ched max	% +/-	load Kg	of latex threads	
2,03		0,261			30,7	35,3	7,0	9,0	8,3	9,7	8,0	2,5	2	
,	,						.,.	-,-	-,-		-,-	-,-	I	

# Customer Approval of Specification Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days. Signature: Print name: Position: Date:

# Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 11/06/2021 06:33:58

