

# Product Specification



Product Title Butchers White Soft Twine String No 5 x 10 Rolls

Product Code MP30090

Yarn count dtex / Nm:	Nm 20 / 8 x 3
Quality:	Polyester / Cotton
Colour:	raw white
Diameter:	
Turns first twine::	150 t/m Z
Turns second twine::	140 t/m S
Running length:	ca. 760 m/kg
Weight per 100m:	
Breaking strength:	> 270 N
Elongation at break:	> 17 %
Melting point:	
Softening point:	
Boiling-water shrinkage:	
Hot-air free shrinkage:	
Other data::	10° 3°30

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

# Product Specification



Yarn count dtex / Nm:	Nm 20 / 8 x 3
Quality:	Polyester / Cotton
Colour:	raw white
Diameter:	
Turns first twine::	150 t/m Z
Turns second twine::	140 t/m S
Running length:	ca. 760 m/kg
Weight per 100m:	
Breaking strength:	➤ 270 N
Elongation at break:	➤ 17 %
Melting point:	
Softening point:	
Boiling-water shrinkage:	
Hot-air free shrinkage:	
Other data::	on spools 105 x 25,5 mm

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

# Product Specification



Yarn count dtex / Nm:	dtex 15450 PES
Quality:	Nm 20 PES spun yarn + dtex 550 PES filament yarn
Colour:	raw white
Diameter:	
Turns first twine::	150 t/m Z + / -20
Turns second twine::	140 t/m S + / -20
Running length:	590 m/kg +/- 50
Weight per 100m:	
Breaking strength:	> 785 N
Elongation at break:	20 % +/- 3
Melting point:	
Softening point:	
Boiling-water shrinkage:	
Hot-air free shrinkage:	
Other data::	10" 3°30 with approx 6 kg

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

# Product Specification



Customer Approval of Specification	
Please sign and return this specification to <b>technical@scobie-junor.co.uk</b> to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.	
Signature:	
Print name:	
Position:	
Date:	

Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 06/11/2024

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.