

Product Specification

Product Title	FOODMATES BLUE UNPOWDERED VINYL GLOVES XL 100/PK FOODMATES BLUE UNPOWDERED VINYL GLOVES LARGE 100/PK FOODMATES BLUE UNPOWDERED VINYL GLOVES MED 100/PK
Product Code	CLBPF104 CLBPF103 CLBPF102



Feelers Nitrile Exam Gloves Specification
Powder Free (2.6 Mil) LN ACCELERATOR FREE
Feelers Nitrile contain no Latex or Latex Proteins
CE SIMPLE DESIGN

Colours

Warm Blue

Approvals

ASTM D6319
EU 2016/425
EN374 Parts 1(Type B), 2, 4 and 5(Protection against Bacteria & Fungi)
EN374-3 – Now Replaced by EN 16523
EN420 & EN455 parts 1 to 4
Food Approval EC1935/2004
ISO 9001:2008
ISO13485:2003/AC2009
Intended for single use only

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Dimension

	XS	S	M	L	XL
Width (mm)	70-75	80-85	90-95	100-105	110-115

Weight (gr) ±0.2	3.0	3.20	3.5	3.9	4.1
-----------------------------------	-----	------	-----	-----	-----

Thickness (mm) Cuff	0.04
All sizes	Palm 0.06
±0.01	Finger 0.08

Length (mm)	Min. 240
All sizes	

Tensile Properties

Tensile Strength- Before Aging	Min. 14Mpa
Tensile Strength- After Aging	Min. 14Mpa

Ultimate Elongation-Before Aging	Min. 500%
Ultimate Elongation-After Aging	Min. 400%

Performance Level - ASTM D6319

Inspection Level

Ref: Holes	G1	AQL= 1.5
Dimensions	S2	AQL= 4.0
Tensile Properties	S2	AQL= 4.0
Major Visual Inspection	G1	AQL= 2.5
Minor Visual Inspection	G1	AQL= 4.0

Packaging

- 100 gloves / dispenser box
- 10 dispenser boxes / carton
- Dispenser Box Dimension : 235 x 120 x 50 mm
- Carton Dimension : 530 x 245 x 130 mm

Customer Approval of Specification	
Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.	
Signature:	
Print name:	
Position:	
Date:	

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 11/07/2022 11:18:26

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Scobie & Junor (Estd. 1919) Ltd, 1 Singer Road, East Kilbride, Glasgow, Scotland, G75 0XS
www.scotnetsolutions.com email: technical@scobie-junor.co.uk