


Product Specification

Product Title	TAMPER PROOF POT 520CC 480 POTS/BOX
Product Code	JETB520



Technical specification bucket



JETB 520

Jokey Euro Tainer Box

dimensions

D1: 94,5 mm
D2: 87,0 mm
D3: 74,0 mm
H:* 114,0 mm

*Height without lid



basic data	volume to rim:	0,55 l	handle types		tolerances			
	weight:	18,5 g		metal handle		-	dimensions:	+/- 1 mm
	weight group:	E		plastic handle		-	volume/weight:	+/- 10 %
				belt handle		-		
			no handle	+				
			body grip	-				
			roller grips	-				

decoration	Digital	IML	offset
height:	0,0 mm	98,13 mm	0,0 mm
width:	0,0 mm	252,38 mm	0,0 mm
median breadth:	0,0 mm		0,0 mm

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



lid	DETB 95 standard	FDETB 95 sealing lid	
stacking height two fold:	223,0 mm	231,5 mm	
each further:	108,5 mm	114,5 mm	
logistic	Max. compression for standard lid at 20°C on the lowest pail: 9,00 kg		
	pieces per pallet	EUP (Europallet)	material
	bucket 7680	80 cm (31,5'') x 120 cm (47,24'')	 
	pallet height 2,20 m		
	layer quantities: 0		
misc.	<p>All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.</p>		
Please find further Information at www.jokey.com or via email info@jokey.com			Date: 03.02.2021 rev. 3.1

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Adding Value to Food



Technical specification lid

DETB 95



dimensions

D1: 94,0 mm
H: 8,0 mm

basic data

displaced volume: 0,03 l
weight: 4,5 g
weight group: E

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

IML

offset

Diameter

81,60 mm

0,0 mm

bucket

JETB 180

JSP 5190

JETB 210

JETB 240

JETB 280

JETB 365



JETB 366

JSP 1415

JETB 520



logistic

pieces per pallet

lid 53760
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5") x 120 cm (47,24")

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 07.12.2020 rev. 3.0

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Adding
Value
to Food



Technical specification lid DETB 95



dimensions

D1: 94,0 mm
H: 8,0 mm

basic data

displaced volume:: 0,03 l
weight: 4,5 g
weight group: E

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

IML

offset

Diameter

81,60 mm

0,0 mm

bucket

JETB 180

JSP 5190

JETB 210

JETB 240

JETB 280

JETB 365



JETB 366

JSP 1415

JETB 520



logistic

pieces per pallet

lid 53760
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 07.12.2020 rev. 3.0

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Technical specification lid FDET B 95



dimensions

D1: 91,5 mm
H: 10,5 mm

basic data

displaced volume:: 0,00 l
weight: 4,2 g
weight group: E

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

0,00 mm

offset

0,0 mm

bucket

JETB 180



JSP 5190



JETB 210



JETB 240



JETB 280



JETB 365



JETB 366



JSP 1415



JETB 520



logistic

pieces per pallet

lid 53760
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 07.12.2020 rev. 3.0

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Customer Approval of Specification	
Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.	
Signature:	
Print name:	
Position:	
Date:	

Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 30/03/2023 15:59:25

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.