

Product Specification



Product Title ELASTICATED MEAT TIES RED/WHITE 9CM 7000/BAG
Product Code MP20236



Producer FRA Production S.p.A.
Expiry Date n.a.
Product Description Food-grade natural rubber thread covered with red and raw polyester yarns and then tied in order to obtain a ring whose length, when it is stretched, is the one guaranteed in the technical specifications.
Intended use Elastic ring used for tying poultry and meat products.
Reference Regulations Compliance to European Regulations (EC 1935/2004, 2023/2006, 1895/2005, 10/2011, 852/2004), as well as Italian (Decreto ministeriale 21/03/1973 and DPR 777/82 and following amendments) and American Laws (FDA CFR Title 21 Food and Drug Administration, in the related specific chapters according to product composition).
Certification UNI EN ISO 9001:2015 ; BRC/IOP ED.6
Warnings Not suitable for contact with flame. Do not swallow. Avoid improper use. This product contains latex.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Instructions for use

Tying of poultry and meat products before roasting.

Product storage

Keep away from heat, dampness and light sources.

Related enclosed documents

Declaration of conformity of every batch with respect to the reference regulations. Bill of lading.

Packaging information

Rings are sold in PE/LD bags, contained in proper carton boxes. Bags and carton boxes are labelled; the data which guarantee the traceability of the product are printed on those labels.

Disposal information

Disposal must be carried out in compliance with related regulations.

Guaranteed performances

These rings are suitable for contact with food and generally meat, during roasting at 175°C for 2 hours in presence of water and/or oil. The guaranteed characteristics are: length of the stretched ring and amount of rings per bag.

Composition

PES20% LATEX80%

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
0700097	FRALAST	4,5/614	5000	PZ.	R/B	NR	5.000,00				20		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
0,87	0,175	0,157	0,193	18,0	16,7	19,3	7,0	4,5	4,1	4,9	8,0	2,5	2
Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
0700094	FRALAST	5,5/614	5000	PZ.	R/B	NR	5.000,00				20		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
1,05	0,210	0,189	0,231	22,0	20,5	23,5	7,0	5,5	5,1	5,9	8,0	2,5	2
Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
0700095	FRALAST	7 /614	5000	PZ.	R/B	NR	5.000,00				20		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
1,20	0,240	0,216	0,264	25,0	23,3	26,8	7,0	7,0	6,4	7,6	8,0	2,5	2
Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
07000191	FRALAST	8 /614	7000	PZ.	R/B	NR	7.000,00				10		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
1,82	0,260	0,234	0,286	29,0	27,0	31,0	7,0	8,0	7,4	8,6	8,0	2,5	2
Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
07000127	FRALAST	13,5/614	5000	PZ.	R/B	NR	5.000,00				10		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
2,02	0,405	0,364	0,445	50,0	47,5	52,5	5,0	13,5	12,8	14,2	5,0	2,5	2
Product available versions													
Item code	Item description							Rings per bags			Number of bags per carton b		
07010006	FRALAST	NT 9/614	R/B	7000	PZ.	NR	7.000,00				10		
Product technical data													
Bag weight (Kg)	Ring weight (g)			Length (cm) when stretched due to the applied weigh				Length (cm) when unstretched				Applied load Kg	Number of latex threads
	std	min	max	std	min	max	% +/-	std	min	max	% +/-		
2,03	0,290	0,261	0,319	33,0	30,7	35,3	7,0	9,0	8,3	9,7	8,0	2,5	2

Customer Approval of Specification	
Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.	
Signature:	
Print name:	
Position:	
Date:	

Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 31/08/2023 09:27:56

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.