

Product Specification



Product Title	TRAY LINER BLUE TINT 15MU 610X1015X635 800/ROLL
Product Code	TL1029789264

PRODUCT DETAIL AND ORDERING INFORMATION

NUMBER/NAME/DESCRIPTION

Item Number : PRDT-1029789-264
Item Name : 610x1015x635 GS69 15mu Blue Tint
Item Description : Gusseted polythene bag 610mm x 1015mm x 635mm in GS69 blend film. Film thickness 15µm coloured Blue Tint

ORDERING INFORMATION

Sales Unit : 1000
Items per Sales Unit : 1,000 each
Minimum Order Qty. :
Lead Times : Standard lead times are 3 weeks from receipt of order for unprinted material, 4 weeks from receipt of order for printed material. Special Lead times by contractual arrangement.

Orderable Part Nos. :

Orderable Part Code	Item Name
PRDT-1029789-264	610x1015x635 GS69 15mu Blue Tint
TL1029789264	610x1015x635 GS69 15mu Blue Tint

Item GTINs	GTIN Code
Unit of Measure	
each	5053601052812

INFORMATION TO BE RETAINED FOR TRACEABILITY

SUPPLIER DETAILS

Supplier : When supplied directly from the manufacturer, contact details as above. When supplied via a broker, refer to delivery paperwork for Supplier Details.

PALLET DETAILS

Pallet SSCC : When shipped directly from the manufacturer: 18 Digit unique Serial Shipping Container Code record

BATCH DETAILS

Batch/Lot Number : When shipped directly from the manufacturer: L-nnnnnnnnnn where nnnnnnnnnn is the sequential production batch number recorded on pack and pallet labels.

PACK DETAILS

Pack No. : When shipped directly from the manufacturer: The sequential pack number recorded on pack labels.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



MATERIAL SAFETY INFORMATION

OVERALL MIGRATION DATA

Analysis of Overall Migration from Exemplar Packaging Material - Results (mg/dm²) using test number OM2 [10 days at 40°C for the intended use conditions of any long term storage at room temperature or below, including when packaged under hot-fill conditions, and/or heating up to a temperature T where 70°C ≤ T ≤ 100°C for a maximum of t = 120/2^{((T-70)/10)} minutes.]. Refer to the declaration of compliance for specific product usage limitations.

Testing House : J.S. Hamilton Poland Sp. z o.o.

Material	Food Simulant A Ethanol 10%(w/v)	Food Simulant B Acetic Acid 3% (w/v)	Food Simulant D2 Sunflower Oil	Food Simulant E Tenax
Hankraft Matt 80µm White/Blue Opaque	<0.5	1.5	<2.0	<0.5
Tri-Ex 80µm White Opaque	<0.5	<0.5	<2.0	<0.5
GS69 30µm Blue Tint	<0.5	<0.5	<2.0	<0.5

Overall Limit : 10mg/dm², 10mg/dm², 10mg/dm²
Test Conditions : 10 days @ 40°C, 10 days @ 40°C, 10 days @ 40°C
Report Reference : 414850/23/WAW, 414851/23/WAW, 414849/23/WAW
Test Method : PN-EN 1186-1:2005 & PN-EN 1186-13:2007 (met.B) (PCA Accredited), PN-EN 1186-1:2005 & PN-EN 1186-13:2007 (met.B) (PCA Accredited), PN-EN 1186-1:2005 & PN-EN 1186-13:2007 (met.B) (PCA Accredited)

HEAVY METAL CONTENT

<100ppm of Lead [Pb], Cadmium [Cd], Mercury [Hg] and Hexavalent Chromium [Cr(VI)].

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recyclate. No processing aids containing identified items used by the manufacturer.

BISPHENOLA (BPA) CONTENT

The product contains no Bisphenol A [BPA, 4,4'-(propane-2,2-diyl)diphenol]

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recyclate. No processing aids containing identified items used by the manufacturer.

PHTHALATE CONTENT

This product contains no Phthalates.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recyclate. No processing aids containing identified items used by the manufacturer.

PVC/PVCD CONTENT

This product is manufactured from blended food grade polyethylene polymers and thus contains no PVC or PVCD

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recyclate. No processing aids containing identified items used by the manufacturer.

MOSH MOAH CONTENT

MOAH (Mineral Oil Aromatic Hydrocarbon) and MOSH (Mineral Oil Saturated Hydrocarbons) are not intentionally added to the product or to the raw materials.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

POSH CONTENT

POSH (Polyolefin Oligomeric Saturated Hydrocarbons) are formed during the polymerisation reaction, are thus not intentionally added to the polymer and as such are considered NIAS (Non Intentionally Added Substances) and do not require positive listing in Regulation No 10/2011. However their presence may result in a false positives when testing for the presence of MOSH and MOAH.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

ANIMAL DERIVED CONTENT

Animal derived stearic acid may be used as a processing aid during the manufacture of the raw materials used in this product. Trace amounts may therefore be present in the final product.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

BSE/TSE RISK

Where animal derived stearic acid is used as a processing aid during polymer manufacture, the process by which the stearic acid is extracted from the tallow renders it free from components that may pose a BSE/TSE risk.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

PLANT DERIVED CONTENT

Plant (Palm Oil) derived stearic acid may be used as a processing aid during the manufacture of the raw materials used in this product. Trace amounts may therefore be present in the final product.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

GMO CONTENT

No GMO content

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

ALLERGEN CONTENT

No Allergens as defined in REGULATION (EU) No 1169/2011 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004 Annex II (As Amended) are present.

Based on information supplied by raw material manufacturers and suppliers. All products manufactured from virgin food grade stock containing no recycle. No processing aids containing identified items used by the manufacturer.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



TECHNICAL DETAILS AND STANDARDS

TECHNICAL DETAIL	STANDARD	TOLERANCE
BASE MATERIALS DETAILS: A blend of virgin polyethylene polymers (LDPE, LLDPE, MDPE, HDPE) whose starting monomers are included in Annex I, Table 1 of Commission Regulation (EU) No. 10/2011 and are therefore permitted for use in food contact packaging. No recycled content.	GS69-1	FCM Substance No.: 549 Ref. No.: 80000 Substance Name: Polyethylene Wax Use as additive or PPA: YES FRF Applicable: NO Specific Migration Limit: NO Restrictions and Specifications: NONE
CONVERSION DETAILS: Slit Sealed Embossed Handled Perforation Specification	No N/A No No Perforations	
FINISHED PRODUCT DIMENSIONS: 1: Face Width 2: Full Width 3: Length 4: N/A 5: Gauge Item weight (Each)	610mm 1,015mm 635mm 15.0µm 18g	+10/-10mm +15/-15mm +10/-10mm +5.0/-5.0µm +/-10%
FILM PROPERTIES: Surface Treated Freezable Anti-static Colour Density Colour: Inner Layer Colour: Middle Layer Colour: Outer Layer Slip Level: Inner Surface Slip Level: Outer Surface	No No No Tint Blue Normal Normal	

SHELF LIFE

12 months at optimum conditions : Onset of performance degradation commences at 9 months when stored at optimum conditions. Accelerated deterioration when stored sub-optimally.

STORAGE AND DELIVERY CONDITIONS

Room Temperature : Material should be transported and stored at room temperature away from direct sunlight. Excessive ultraviolet light and extremes of temperature i.e. over 60°C, will lead to accelerated deterioration of the product. Product stored in unheated warehousing should allowed to acclimatise prior to use in order to reduce the risk of blocking.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



PRIMARY AND SECONDARY PACKAGING INFORMATION

TYPE/DESCRIPTION

- Type : Roll
Description : Film wound on 78mm OD spiral wound cardboard cores, over wrapped with polythene film and no core bungs.
Packaging Spec : Blank Packaging Specification

PRIMARY PACKAGING

- Items per pack : 800
Pack Weight (kg) : 14.0
Packaging Materials :

Material	Weight
78mm OD 4mm Cardboard Core	0g
Polythene Film	0g
NO CORE BUNGS	0g

PACKAGING WASTE INFORMATION

RECYCLING AND DISPOSAL

- PACKAGING WASTE I : The product is 100% recyclable
PACKAGING WASTE I : The energy recovery through incineration yields approximately 47MJ/kg. Products from incineration of uncontaminated product: Carbon dioxide and water.

ECOTOXICITY

In the aquatic environment, this product should not present problems because of extremely low solubility. In the soil environment, this product should not present problems because it is inherently very difficult to degrade .

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



ANALYTICAL AND QUALITY STANDARDS

TEST	METHOD	ACCEPTABLE	UNACCEPTABLE
Dimensional Check	Physical measurement of film.	Within tolerances specified on the production order	Outside of tolerances specified on the production order
Correct material	Visual inspection of raw material bin identification and blending log	Batch matches with production order recipe, feedline number matches extruder	Any mismatch
Film Colour	Visual inspection in accordance with the Management System: Production Inspection Check Procedure	Film colour matches requirement	Any mismatch
Film Quality Colour	Physical tests in accordance with the Management System: Production Inspection Check Procedure.	Meets specified requirement	Does not meet specified requirement
Slip Level	Physical tests in accordance with the Management System: Production Inspection Check Procedure	Meets specified requirement	Does not meet specified requirement
Bottom Seal (if applicable)	Physical tests in accordance with the Management System: Production Inspection Check Procedure	Meets specified requirement	Does not meet specified requirement
Side Seal (If applicable)	Physical tests in accordance with the Management System: Production Inspection Check Procedure	Meets specified requirement	Does not meet specified requirement
Conversion (TOOR, Bags, LFT, CFS etc)	Visual inspections and physical checks to ensure actual conversion matches specified requirement	Meets specified requirement	Does not meet specified requirement
Physical test to ensure ink adherence to outer surface of film, and does not adhere to inner surface of film.	Physical tests in accordance with the Management System: Production Inspection Check Procedure	Meets specified requirement	Does not meet specified requirement
Print (If applicable)	Visual inspection to ensure actual printing matches the specified requirement.	Meets specified requirement	Does not meet specified requirement
Perforations (If applicable)	Visual inspection to ensure actual perforations match the specified requirement	Meets specified requirements	Does not meet specified requirements
Embossing (If applicable)	Visual inspection to ensure actual embossing matches the specified requirement	Meets specified requirement	Does not meet specified requirement

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Weight per Pack	Physical weighing of packs	Within +/-10% of specified pack weight	Outside +/-10% of specified pack weight
Labelling	Visual inspection of labels	Labels applied, legible and correctly complete	Labels missing, illegible or incorrectly completed

ENGLAND: DECLARATION OF COMPLIANCE

Complies with the provisions of the following English and United Kingdom regulations:

The Materials and Articles in Contact with Food (England) Regulations 2012 (Amended up to SI 2019 No 704)

The Packaging (Essential Requirements) Regulations 2015

The Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (Amended up to SI 2023 No 1244)

Material:

Virgin polythene film with no recycled content. All monomers used in the polythene film are identified as authorised monomers in The Materials and Articles in Contact with Food (England) Regulations 2012 (As Amended)

The product is suitable for use in contact with:

All food types

In the following food contact conditions:

Any food contact at refrigerated but not frozen conditions. Any long term storage at room temperature or below, including heating up to 70°C for up to 2 hours.

Dual use additives and monomers and, or additives with specific migration limits:

Where used the total amount of additives in this product with SML's is less than any one of the individual limits, therefore this product suitable for food contact use ie below the limits set for any SML

DUAL USE ADDITIVES

FCM Substance No.	E No.	Ref. No.	CAS No.	Substance Name	SML [mg/kg]
21	E570	42500		carbonic acid, salts	
106	E172	24550 & 89041	0000057-11-4	stearic acid	
504	E551	86240	0007631-86-9	silicon dioxide	
575	E900	76721	0063148-62-9	polydimethylsiloxane (Mw > 6 800 Da)	
615	E553b	92080	0014807-96-6	talc	
616	E551	83470	0014808-60-7	quartz	
	E572		0001592-23-0	Calcium stearate	

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Adding
Value
to
Food

MONOMERS AND, OR ADDITIVES WITH SPECIFIC MIGRATION LIMITS

FCM Substance No.	E No.	Ref. No.	CAS No.	Substance Name	SML [mg/kg]
69		74400		phosphorous acid, tris(nonyl-and/or dinonylphenyl) ester	30.000000
106	E172	24550 & 8904	0000057-11-4	stearic acid	
141		13380, 2560 &	0000077-99-6	1,1,1-trimethylolpropane	6.000000
292		94560	0000122-20-3	triisopropanolamine	5.000000
356		18820	0000592-41-6	1-hexene	3.000000
433		68320	0002082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6.000000
443		12788	0002432-99-7	11-aminoundecanoic acid	5.000000
652		38820	0026741-53-7	bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphate	0.600000
974		74050	0939402-02-5	phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters	10.000000
	E170		0001317-65-3	Calcium Carbonate, Chalk	
				Aluminium	1.000000
				Antimony	0.040000
				Arsenic	ND
				Barium	1.000000
				Cadmium	ND
				Chromium	ND
				Cobalt	0.050000
				Copper	5.000000
				Europium	0.050000
				Gadolinium	0.050000
				Iron	48.000000
				Lanthanum	0.050000
				Lead	ND
				Lithium	0.600000
				Manganese	0.600000
				Mercury	ND
				Nickel	0.020000
				Terbium	0.050000
				Zinc	5.000000

NORTHERN IRELAND: DECLARATION OF COMPLIANCE

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Complies with the provisions of the following Northern Ireland and United Kingdom regulations:

The Materials and Articles in Contact with Food Regulations (Northern Ireland) 2012 (Amended up to NISR 2019 No. 186)

The Packaging (Essential Requirements) Regulations 2015

The Producer Responsibility Obligations (Packaging Waste) Regulations (Northern Ireland) 2007 (Amended up to NISR 2022 No 286)

Material:

Virgin polythene film with no recycled content. All monomers used in the polythene film are identified as authorised monomers in The Materials and Articles in Contact with Food (Northern Ireland) Regulations 2012 (As Amended)

The product is suitable for use in contact with:

All food types

In the following food contact conditions:

Any food contact at refrigerated but not frozen conditions. Any long term storage at room temperature or below, including heating up to 70°C for up to 2 hours.

Dual use additives and monomers and, or additives with specific migration limits:

Where used the total amount of additives in this product with SML's is less than any one of the individual limits, therefore this product suitable for food contact use ie below the limits set for any SML

DUAL USE ADDITIVE

FCM Substance No.	E No.	Ref. No.	CAS No.	Substance name	SML [mg/kg]
21	E570	42500		carbonic acid, salts	
106	E172	24550 & 89041	0000057-11-4	stearic acid	
504	E551	86240	0007631-86-9	silicon dioxide	
575	E900	76721	0063148-62-9	polydimethylsiloxane (Mw > 6 800 Da)	
615	E553b	92080	0014807-96-6	talc	
616	E551	83470	0014808-60-7	quartz	
	E572		0001592-23-0	Calcium stearate	

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



MONOMERS AND, OR ADDITIVES WITH SPECIFIC MIGRATION LIMITS

FCM Substance No.	E No.	Ref. No.	CAS No.	Substance Name	SML [mg/kg]
69		74400		phosphorous acid, tris(nonyl-and/or dinonylphenyl) ester	30.000000
106	E172	24550 & 8904	0000057-11-4	stearic acid	
141		13380, 2560 &	0000077-99-6	1,1,1-trimethylolpropane	6.000000
292		94560	0000122-20-3	triisopropanolamine	5.000000
356		18820	0000592-41-6	1-hexene	3.000000
433		68320	0002082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6.000000
443		12788	0002432-99-7	11-aminoundecanoic acid	5.000000
652		38820	0026741-53-7	bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphite	0.600000
974		74050	0939402-02-5	phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters	10.000000
	E170		0001317-65-3	Calcium Carbonate, Chalk	
				Aluminium	1.000000
				Antimony	0.040000
				Arsenic	ND
				Barium	1.000000
				Cadmium	ND
				Chromium	ND
				Cobalt	0.050000
				Copper	5.000000
				Europium	0.050000
				Gadolinium	0.050000
				Iron	48.000000
				Lanthanum	0.050000
				Lead	ND
				Lithium	0.600000
				Manganese	0.600000
				Mercury	ND
				Nickel	0.020000
				Terbium	0.050000
				Zinc	5.000000

SCOTLAND: DECLARATION OF COMPLIANCE

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Complies with the provisions of the following Scotland and United Kingdom regulations:

The Materials and Articles in Contact with Food (Scotland) Regulations 2012 (Amended up to SSI 2019 No 32)

The Packaging (Essential Requirements) Regulations 2015

The Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (Amended up to SSI 2023 No 336)

Material:

Virgin polythene film with no recycled content. All monomers used in the polythene film are identified as authorised monomers in The Materials and Articles in Contact with Food (Scotland) Regulations 2012 (As Amended)

The product is suitable for use in contact with:

All food types

In the following food contact conditions:

Any food contact at refrigerated but not frozen conditions. Any long term storage at room temperature or below, including heating up to 70°C for up to 2 hours.

Dual use additives and monomers and, or additives with specific migration limits:

Dual use additives and monomers and, or additives with specific migration limits:

DUAL USE ADDITIVES

FCM Substance No.	E No.	Ref No.	CAS No.	Substance Name	SML [mg/kg]
21	E570	42500		carbonic acid, salts	
106	E172	24550 & 89041	0000057-11-4	stearic acid	
504	E551	86240	0007631-86-9	silicon dioxide	
575	E900	76721	0063148-62-9	polydimethylsiloxane (Mw > 6 800 Da)	
615	E553b	92080	0014807-96-6	talc	
616	E551	83470	0014808-60-7	quartz	
	E572		0001592-23-0	Calcium stearate	

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



MONOMERS AND, OR ADDITIVES WITH SPECIFIC MIGRATION

FCM Substance No.	E No.	Ref No.	CAS No.	Substance Name	SML [mg/kg]
69		74400		phosphorous acid, tris(nonyl-and/or dinonylphenyl) ester	30.000000
106	E172	24550 & 89041	0000057-11-4	stearic acid	
141		13380, 2560 &	0000077-99-6	1,1,1-trimethylolpropane	6.000000
292		94560	0000122-20-3	triisopropanolamine	5.000000
356		18820	0000592-41-6	1-hexene	3.000000
433		68320	0002082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6.000000
443		12788	0002432-99-7	11-aminoundecanoic acid	5.000000
652		38820	0026741-53-7	bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphite	0.600000
974		74050	0939402-02-5	phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters	10.000000
	E170		0001317-65-3	Calcium Carbonate, Chalk	
				Aluminium	1.000000
				Antimony	0.040000
				Arsenic	ND
				Barium	1.000000
				Cadmium	ND
				Chromium	ND
				Cobalt	0.050000
				Copper	5.000000
				Europium	0.050000
				Gadolinium	0.050000
				Iron	48.000000
				Lanthanum	0.050000
				Lead	ND
				Lithium	0.600000
				Manganese	0.600000
				Mercury	ND
				Nickel	0.020000
				Terbium	0.050000
				Zinc	5.000000

WALES: DECLARATION OF COMPLIANCE

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Adding
Value
to
Food

Complies with the provisions of the following Wales and United Kingdom regulations:

The Packaging (Essential Requirements) Regulations 2015

The Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (Amended up to SI 2023 No 1244)

The Materials and Articles in Contact with Food (Wales) Regulations 2012 (Amended up to WSI 2018 No 913 (W. 179))

Material:

Virgin polythene film with no recycled content. All monomers used in the polythene film are identified as authorised monomers in The Materials and Articles in Contact with Food (Wales) Regulations 2012 (As Amended)

The product is suitable for use in contact with:

All food types

In the following food contact conditions:

Any food contact at refrigerated but not frozen conditions. Any long term storage at room temperature or below, including heating up to 70°C for up to 2 hours.

Dual use additives and monomers and, or additives with specific migration limits:

Where used the total amount of additives in this product with SML's is less than any one of the individual limits, therefore this product suitable for food contact use ie below the limits set for any SML

DUAL USE ADDITIVES

FCM Substance No.	E No.	Ref. No.	CAS No.	Substance Name	SML [mg/kg]
21	E570	42500		carbonic acid, salts	
106	E172	24550 & 8904	0000057-11-4	stearic acid	
504	E551	86240	0007631-86-9	silicon dioxide	
575	E900	76721	0063148-62-9	polydimethylsiloxane (Mw > 6 800 Da)	
615	E553b	92080	0014807-96-6	talc	
616	E551	83470	0014808-60-7	quartz	
	E572		0001592-23-0	Calcium stearate	

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Adding
Value
to Food

MONOMERS AND ADDITIVES WITH SPECIFIC MIGRATION LIMITS

FCM Sunstance No.	E No.	Ref. No.	CAS No.	Substance Name	SML [mg/kg]
69		74400		phosphorous acid, tris(nonyl-and/or dinonylphenyl) ester	30.000000
106	E172	24550 & 8904	0000057-11-4	stearic acid	
141		13380, 2560 &	0000077-99-6	1,1,1-trimethylolpropane	6.000000
292		94560	0000122-20-3	triisopropanolamine	5.000000
356		18820	0000592-41-6	1-hexene	3.000000
433		68320	0002082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6.000000
443		12788	0002432-99-7	11-aminoundecanoic acid	5.000000
652		38820	0026741-53-7	bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphite	0.600000
974	E170	74050	0939402-02-5	phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters	10.000000
			0001317-65-3	Calcium Carbonate, Chalk	
				Aluminium	1.000000
				Antimony	0.040000
				Arsenic	ND
				Barium	1.000000
				Cadmium	ND
				Chromium	ND
				Cobalt	0.050000
				Copper	5.000000
				Europium	0.050000
				Gadolinium	0.050000
				Iron	48.000000
				Lanthanum	0.050000
				Lead	ND
				Lithium	0.600000
				Manganese	0.600000
				Mercury	ND
				Nickel	0.020000
				Terbium	0.050000
				Zinc	5.000000

DISCLAIMER

Product data information is current as of printing date, and while accurate to the best knowledge and belief of The manufacturer, is not intended and should not be construed as a warranty or representation for which The manufacturer assumes legal responsibility.

Any information or advice obtained from The manufacturer otherwise than by means of this publication and whether relating to The manufacturer 's materials, or other materials, is also given in good faith. However it remains at all times the responsibility of the customer to ensure that The manufacturer 's materials are suitable for the particular purpose intended.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



The manufacturer accepts no liability whatsoever (except as otherwise expressly provided by law) arising out of the use of information supplied, the application adaptation or processing of the products described herein, the use of other materials in lieu of The manufacturer's materials or the use The manufacturer's materials in conjunction with such other materials.

TERMS AND CONDITIONS OF SALE

All orders are accepted subject to these conditions.

1. Unless otherwise agreed in writing by the Company, these conditions shall override any terms and conditions stipulated, incorporated or referred to by the buyer in his order or negotiations.
2. Notwithstanding any specific date mentioned in the contract for delivery of the goods, time shall not be deemed the essence of the contract so far as concerns delivery of the goods and apart from protracted and unreasonable delay on the part of the sellers, the sellers shall not, by reason of agreeing to deliver by a specified date, be deemed to have waived the benefit of this condition.
3. If the contract provides for delivery by instalments, each instalment shall be deemed to be the subject of a separate contract and non-delivery or delay in delivery of any instalment shall not affect the balance of the contract or entitle the buyer to cancel same. Provided always that non payment in respect of any delivery shall entitle the seller to suspend the further deliveries or to call for further payment on a pro forma basis.
- 4.1. The price or prices given in any quotation are given in good faith and are those ruling at the date thereof. All quotations are made and orders accepted subject to availability of raw materials. All prices are subject to material market fluctuations and the actual price to be paid by the buyer shall be the seller's price ruling at the date of despatch.
- 4.2. Where an order is received for a quantity less than that quoted for or where delivery is required in instalments smaller than those specified in the quotation prices will be subject to an increase.
5. Liability is not accepted for any direct or indirect loss arising from non-delivery, or delays in delivery of any goods caused by war, strikes, lock-outs, fire, floods, explosions, government restrictions or any cause whatsoever beyond our control.
6. As in respect of certain goods we cannot guarantee exact quantities, the seller shall be deemed to have fulfilled his contract by delivery of a quantity of plus or minus 10% of the quantity specified and the buyer shall pay at contract rate for the actual quantity delivered. Materials with similar properties to those quoted may be substituted for quoted materials. Unless specifically agreed by the seller in writing the delivery of sample material shall not constitute a warrant nor indicate a sale by sample.
7. No responsibility will be accepted in respect of non delivery of the goods unless the buyer notifies the seller and the Carrier within 14 days of despatch. If consignments are delivered damaged or with part contents missing, they must be signed for accordingly and notification sent to the seller and Carrier within three days of delivery. Except as aforesaid no claims of any kind will be accepted by the seller unless the claim is received by the seller in writing within 14 days of the date of delivery.
8. Where the goods consist of containers, wrappers or other articles intended for use in conjunction with any food, drugs or other substance, the buyer shall satisfy himself that such food article or other substance is not likely to be adversely affected by any materials used by the seller in the manufacture or printing of such containers, wrappers or other articles and we shall not be liable to the buyer or any third party in respect of any claims alleging that such food article, drug or substance has been adversely affected.
9. Although great care is taken in the choice of materials and inks used in the manufacture of our products, their suitability for packing a particular commodity must be at the Buyer's risk unless specifically agreed in writing by the Company, no warranty or condition is given or shall be implied that the goods supplied are suitable in size, capacity, quality or otherwise for the purposes for which the goods are bought.
10. In no circumstances shall our liability for consequential losses or otherwise exceed the invoice value of those goods supplied by us which are defective.
11. Unless the contract otherwise provides the risk in the goods shall remain in the seller until the point of delivery set out in the contract and unless the buyer shall be given notice to the seller or the Carrier as provided by condition 7 hereof, the goods shall be deemed to have been fully delivered to the buyer and the risk in such goods transferred to the buyer at the point of delivery.
12. The ownership of the goods to be delivered by the seller will only be transferred to the purchaser when the outstanding amount due to the seller from the purchaser under this contract has been paid. Until the date of such payment the purchaser agrees to store the said goods in such a way as to show that they are clearly the property of the sellers. Until the date of such payment the purchaser is authorised to sell the said goods on the seller's behalf and for the seller's account, the purchaser remaining accountable to the sellers for the goods or for the proceeds of sale until the date of such payment. In the event of any purchaser company being wound up or having a receiver appointed the purchaser company will immediately notify the sellers of such winding up proceedings or receiver appointed and return all goods belonging to the sellers in their possession.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Customer Approval of Specification	
Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.	
Signature:	
Print name:	
Position:	
Date:	

Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 12/03/2024 12:49:37

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.