Product Specification



Product Title	OVEN COOK BAGS 35 X 43CM 1000/CASE
Product Code	TSP0253543

Structure:

consists of 2 PET (untreated) side-weld webs, thermally bonded.

Thickness: Nominal film thickness; 12µm.

Mechanical: Tensile strength at break MD: 1900 Kg/cm³ TD: 1900 Kg/cm³

ASTM D-882 (min)

Elongation at break (min) MD: 90% TD: 80%

 Optical:
 Haze (max)
 4%

 ASTM D-1003
 Transmittance (max)
 85%

Dimensions: 350mm x 430mm +/-3mm

Heat Resistance: The film used is suitable for use at temperatures from -20°C up to 220°C (for 90 minutes). However best cooking performance is achieved by the use of temperatures below 200°C where possible. It is recommended that trials are carried out to determine the suitability of Sira-Cook bags for each application.

Packed 100 bags per inner box, 10 block of 10 ties block of 5 ties per box. 10 inner

boxes per carton.

Palletising: Shippers shrink-wrapped on standard 1200mm x 1000mm pallet. Max pallet height 1.1

meters.

Labelling: Individual box label includes product description, dimensions, colour, traceability code,

customer specified product code, order number, box quantity and box number.

Pallet label includes customer name, delivery address, product description,

dimensions, colour, traceability code, customer specified product code, box quantity,

pallet quantity and shipping date. Additional details are available on request

Safety Information: Do not exceed 200°C / 400°F/ Gas mark 6. Film must not come into contact with a naked flame, oven walls, racks or heating elements. Not suitable for use in microwave ovens, or on grills or barbecues.

Usage Information: The product is suitable for use with all types of foods and beverages (other than foods and

beverages containing more than 50% Alcohol) in conventional ovens, and also for use in

deep freeze conditions, from 0°C down to -20°C.

Disclaimer: This specification is intended as a general guide only. It is recommended that full trials are carried out to ensure the suitability of Bags for food cooking applications.

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Product Specification



Customer Approval of Specification		
Please sign and return this specification to technical@scobie-junor.co.uk to confirm formal acceptance of this		
specification. All specifications issued will be deemed to be accepted if no communication to the contrary is		
received after 10 working days.		
Signature:		
_		
Print name:		
Position:		
Date:		

Issued by Scobie & Junor (Estd. 1919) Ltd. Certified accurate on 01/08/2022 17:18:01

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.