




Product Name FRALAST 614

Producer
FRA Production S.p.A.
Expiry Date
n.a.
Product Description
Food-grade natural rubber thread covered with red and raw polyester yarns and then tied in order to obtain a ring whose length, when it is stretched, is the one guaranteed in the technical specifications.
Intended use
Elastic ring used for tying poultry and meat products.
Reference Regulations
Compliance to European Regulations (EC 1935/2004, 2023/2006, 1895/2005, 10/2011, 852/2004), as well as Italian (Decreto ministeriale 21/03/1973 and DPR 777/82 and following amendments) and American Laws (FDA CFR Title 21 Food and Drug Administration, in the related specific chapters according to product composition).
Certification
UNI EN ISO 9001:2015 ; BRC/IOP ED.6
Warnings
Not suitable for contact with flame. Do not swallow. Avoid improper use. This product contains latex.

Instructions for use

Tying of poultry and meat products before roasting.

Product storage

Keep away from heat, dampness and light sources.

Related enclosed documents

Declaration of conformity of every batch with respect to the reference regulations. Bill of lading.

Packaging information

Rings are sold in PE/LD bags, contained in proper carton boxes. Bags and carton boxes are labelled; the data which guarantee the traceability of the product are printed on those labels.

Disposal information

Disposal must be carried out in compliance with related regulations.

Guaranteed performances

These rings are suitable for contact with food and generally meat, during roasting at 175°C for 2 hours in presence of water and/or oil. The guaranteed characteristics are: length of the stretched ring and amount of rings per bag.

Composition

PES20% LATEX80%



PRODUCTION S.p.A.

SP000C06

Elastic poultry rings "614"

Revision 005
Date 26/03/21

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07000097	FRALAST	4,5/614	5000	PZ.	R/B			NR	5.000,00	20		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
0,87	0,175	0,157	0,193	18,0	16,7	19,3	7,0	4,5	4,1	4,9	8,0	2,5	2	

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07000094	FRALAST	5,5/614	5000	PZ.	R/B			NR	5.000,00	20		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
1.05	0.210	0.189	0.231	22.0	20.5	23.5	7.0	5.5	5.1	5.9	8.0	2.5	2	

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07000095	FRALAST	7 /614	5000	PZ.	R/B			NR	5.000,00	20		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
1.20	0.240	0.216	0.264	25.0	23.3	26.8	7.0	7.0	6.4	7.6	8.0	2.5	2	

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07000191	FRALAST	8 /614	7000	PZ.	R/B			NR	7.000,00	10		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
1.82	0.260	0.234	0.286	29.0	27.0	31.0	7.0	8.0	7.4	8.6	8.0	2.5	2	

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07000127	FRALAST	13,5/614	5000	PZ.	R/B			NR	5.000,00	10		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
2,02	0,405	0,364	0,445	50,0	47,5	52,5	5,0	13,5	12,8	14,2	5,0	2,5	2	

Product available versions												
Item code	Item description							Rings per bags		Number of bags per carton b		
07010006	FRALAST	NT 9/614	R/B	7000	PZ.			NR	7.000,00	10		

Product technical data														
Bag weight (Kg)	Ring weight (g)			Length (cm)when stretched due to the applied weight				Length (cm) when unstretched				Applied load Kg	Number of latex threads	
	std	min	max	std	min	max	% +/-	std	min	max	% +/-			
2.03	0.290	0.261	0.319	33.0	30.7	35.3	7.0	9.0	8.3	9.7	8.0	2.5	2	

Edit by Technical Office - G.Pedrotti

Verified by Quality Assurance - V. Brusa

Via delle Poste 16 - 14010 Dusino San Michele (Italy) - Tel. +390141979911 - Fax +390141979993