

SP000C06 Elastic poultry rings "614"



Product Name FRALAST 614

Producer

FRA Production S.p.A.

Expiry Date

Product Description

Food-grade natural rubber thread covered with red and raw polyester yarns and then tied in order to obtain a ring whose length, when it is stretched, is the one guaranteed in the technical specifications.

Intended use

Elastic ring used for tying poultry and meat products.

Reference Regulations

Compliance to European Regulations (EC 1935/2004, 2023/2006, 1895/2005, 10/2011, 852/2004), as well as Italian (Decreto ministeriale 21/03/1973 and DPR 777/82 and following amendments) and American Laws (FDA CFR Title 21 Food and Drug Administration, in the related specific chapters according to product composition).

Certification

UNI EN ISO 9001:2015 ; BRC/IOP ED.6

Warnings

Not suitable for contact with flame. Do not swallow. Avoid improper use. This product contains latex.



SP000C06 Elastic poultry rings "614"

Instructions for use

Tying of poultry and meat products before roasting.

Product storage

Keep away from heat, dampness and light sources.

Related enclosed documents

Declaration of conformity of every batch with respect to the reference regulations. Bill of lading.

Packaging information

Rings are sold in PE/LD bags, contained in proper carton boxes. Bags and carton boxes are labelled; the data which guarantee the traceability of the product are printed on those labels.

Disposal information

Disposal must be carried out in compliance with related regulations.

Guaranteed performances

These rings are suitable for contact with food and generally meat, during roasting at 175°C for 2 hours in presence of water and/or oil. The guaranteed characteristics are: length of the stretched ring and amount of rings per bag.

Composition

PES20% LATEX80%



\$IFS10

SP000C06 Elastic poultry rings "614"

Product availa	ole vers	ions											
Item code Item							Rings pe	r bags		Number	r of bag	s per cart	on be
07000097 FRAI		1,5/614	5000	PZ.	R/B			.000,0		Humber	. OI Dug	20	
	-							,.	-				
Product techni													
Bag weight(Kg	Ring	weight(g)				retched			. 1		Applied	Number
	std	min	max	std	o the a min	max	d weigh % +/-	std	unstret min	max	% +/-	load Kg	of latex threads
0,87		0,157			16,7	19,3		4,5	4,1	4,9	8,0	0 E	2
0,87	0,175	0,157	0,193	10,0	10,7	19,3	7,0	4,5	4,1	4,9	0,0	2,5	2
Product availa	ble vers	ions											
Item code Item	descrip	tion					Rings pe	er bags		Number	c of bag	s per cart	on be
)7000094 FRAI	AST 5	5,5/614	5000) PZ.	R/B		NR 5	.000,0	0			20	
Product techni	cal data												
Bag weight (Kg			(a)	Lengt	h (cm) wh	nen st	retched	Lengt	h (cm)			Applied	Number
	/ y						d weigh			ched		load Kg	of latex
	std	min	max	std	min	max	8 +7-	std	min	max	% +/-		threads
1,05	0,210	0,189	0,231	22,0	20,5	23,5	7,0	5,5	5,1	5,9	8,0	2,5	2
		lanc											· · · · · ·
Product availa							n '	. 1					
<u>Item code Item</u> 07000095 FRAI		otion 7 /614	5000	0 PZ. R/B			Rings per bags NR 5.000,00			Number of bags per of 20			ion be
	-	•	5000	P4.	к/В		17 J	.000,0	0			20	
Product techni		-											
Bag weight(Kg) Ring	weight(g)				retched					Applied	Number
							d weigh				10.1	load Kg	of latex
	std	min	max	std	min	max	% +/−	std	min	max	8 +/-		threads
1,20	0,240	0,216	0,264	25,0	23,3	26,8	7,0	7,0	6,4	7,6	8,0	2,5	2
Product availa													
	nie vers	ions											
							Rings pe	er bags		Number	r of bag	s per cart	on b
tem code Item	descrip		7000) PZ.	R/B		Rings pe	er bags		Number	r of bag	<u>s per cart</u> 10	ion be
Item code Item 07000191 FRAI	descrip AST 8	otion 3 /614	7000) PZ.	R/B	1				Number	r of bag		ion be
Item code Item 07000191 FRAI Product techni	descrip AST 8	otion 3 /614					NR 7	.000,0	0	Number	r of bag	10	
Item code Item 07000191 FRAI Product techni	descrip AST 8	otion 3 /614		Lengt	h (cm) wh	nen st	NR 7 retched	.000,0	0 h (cm)		r of bag	10 Applied	Number
Item code Item 07000191 FRAI Product techni	descrip AST 8 cal data	otion 3 /614 Weight(g)	Lengt due t	h(cm)wh o the a	nen st applie	NR 7 retched d weigh	.000,0 Lengt	0 h (cm) unstret	ched		10	Number of latex
Item code Item 07000191 FRAI Product techni 3ag weight (Kg	descrip AST 8 cal data) Ring std	weight(g) max	Lengt due t std	h(cm)wh o the a min	en st applie max	NR 7 retched d weigh % +/-	.000,0 Lengt when std	0 h (cm) unstret min	ched max	% +/-	10 Applied load Kg	Number of latex threads
Item code Item 07000191 FRAI Product techni	descrip AST 8 cal data) Ring std	otion 3 /614 Weight(g) max	Lengt due t std	h(cm)wh o the a	nen st applie	NR 7 retched d weigh	.000,0 Lengt	0 h (cm) unstret	ched		10 Applied	Number of latex
Item code Item 07000191 FRAI Product techni Bag weight(Kg 1,82	descrip AST 8 cal data) Ring std 0,260	weight (min 0,234	g) max	Lengt due t std	h(cm)wh o the a min	en st applie max	NR 7 retched d weigh % +/-	.000,0 Lengt when std	0 h (cm) unstret min	ched max	% +/-	10 Applied load Kg	Number of latex threads
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code	descrip AST E cal data) Ring std 0,260 ole vers descrip	weight(min 0,234 ions	g) max 0,286	Lengt due t std 29,0	h(cm)wh o the a min 27,0	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe	.000,0 Lengt when std 8,0 er bags	0 h (cm) unstret min 7,4	ched max 8,6	\% +/- 8,0	10 Applied load Kg	Number of latex threads 2
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code	descrip AST E cal data) Ring std 0,260 ole vers descrip	weight(min 0,234 ions	g) max 0,286	Lengt due t std	h(cm)wh o the a min	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe	.000,0 Lengt when std 8,0	0 h (cm) unstret min 7,4	ched max 8,6	\% +/- 8,0	10 Applied load Kg 2,5	Number of latex threads 2
Item code Item 07000191 FRAI Product techni 3ag weight (Kg 1,82 Product availa Item code Item code Item 0700127	descrip AST 8 cal data) Ring std 0,260 ole vers descrip AST 13	weight(min 0,234 ions stion 3,5/614	g) max 0,286	Lengt due t std 29,0	h(cm)wh o the a min 27,0	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe	.000,0 Lengt when std 8,0 er bags	0 h (cm) unstret min 7,4	ched max 8,6	\% +/- 8,0	10 Applied load Kg 2,5 s per cart	Number of latex threads 2
Item code Item 07000191 FRAI Product techni 3ag weight (Kg 1,82 Product availa Item code Item code Item code Item code Product techni	descrip AST 8 cal data) Ring std 0,260 0le vers descrip AST 13 cal data	<pre>ition /614 weight(min 0,234 ions ion 3,5/614 </pre>	g) max 0,286 5000	Lengt due t std 29,0 PZ.	h(cm)wh o the a min 27,0 R/B	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5	.000,0 Lengt when std 8,0 er bags .000,0	0 h (cm) unstret min 7,4	ched max 8,6	\% +/- 8,0	10 Applied load Kg 2,5 s per cart 10	Number of latex threads 2
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code Item code Item code Product techni	descrip AST 8 cal data) Ring std 0,260 0le vers descrip AST 13 cal data	<pre>ition /614 weight(min 0,234 ions ion 3,5/614 </pre>	g) max 0,286 5000	Lengt due t std 29,0 PZ.	h (cm) wh o the a min 27,0 R/B h (cm) wh	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 retched	Lengt when std 8,0 Lengt	0 h (cm) unstret min 7,4 0 h (cm)	ched max 8,6	\% +/- 8,0	10 Applied load Kg 2,5 s per cart 10 Applied	Number of latex threads 2
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code Item code Item code Product techni	descrip AST 8 cal data) Ring std 0,260 0le vers descrip AST 13 cal data	<pre>ition /614 weight(min 0,234 ions ion 3,5/614 </pre>	g) max 0,286 5000	Lengt due t std 29,0 PZ.	h (cm) wh o the a min 27,0 R/B h (cm) wh	nen st applie max 31,0	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5	Lengt when std 8,0 Lengt	0 h (cm) unstret min 7,4 0 h (cm)	ched max 8,6	\% +/- 8,0	10 Applied load Kg 2,5 s per cart 10	Number of latex threads 2 con b Number
Item code Item 07000191 FRAI Product techni 3ag weight (Kg 1,82 Product availa Item code Item code Item code Item code Product techni	descrip AST 8 cal data) Ring std 0,260 0 evers descrip AST 13 cal data) Ring std	<pre>tion /614 weight(</pre>	g) max 0,286 5000 g) max	Lengt due t std 29,0 PZ. Lengt due t std	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a	hen st applie max 31,0 hen st applie	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 retched d weigh	.000,0 Lengt when std 8,0 er bags .000,0 Lengt when	0 h (cm) unstret min 7,4 0 h (cm) unstret	cched max 8,6 Number	% +/- 8,0	10 Applied load Kg 2,5 s per cart 10 Applied	Number of latex threads 2 con b Number of latex
item code Item 07000191 FRAI Product techni 3ag weight (Kg 1,82 Product availa item code item code Item 07000127 FRAI Product techni 3ag weight (Kg 2,02	descrip AST 8 cal data std 0,260 ole vers descrip AST 13 cal data) Ring std 0,405	<pre>tion /614 weight(min 0,234 ions tion 3,5/614 weight(min 0,364 </pre>	g) max 0,286 5000 g) max	Lengt due t std 29,0 PZ. Lengt due t std	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min	nen st max 31,0 nen st applie max	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 NR 5 retched d weigh % +/-	Lengt when std 8,0 Lengt Lengt when std	0 h (cm) unstret min 7,4 0 h (cm) unstret min	cched max 8,6 Number cched max	% +/- 8,0 c of bag % +/-	10 Applied load Kg 2,5 (s per cart 10 Applied load Kg	Number of latex threads 2 con b Number of latex threads
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Item code Product availa Item 107000127 FRAI Product techni Bag weight (Kg 2,02 Product availa	descrip AST 8 cal data) Ring std 0,260 0 evers descrip AST 13 cal data) Ring std 0,405 0 evers	<pre>ition /614 /614 weight(min 0,234 ions tion /////////////////////////////////</pre>	g) max 0,286 5000 g) max	Lengt due t std 29,0 PZ. Lengt due t std	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min	nen st max 31,0 nen st max	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 retched d weigh % +/- 5,0	.000,0 Lengt when std 8,0 er bags .000,0 Lengt when std 13,5	0 h (cm) unstret min 7,4 0 h (cm) unstret min 12,8	cched max 8,6 Number cched max 14,2	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5	Number of latex threads 2 con b son
item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa item code 1 tem 07000127 FRAI Product techni Bag weight (Kg 2,02 Product availa item code Item code	descrip AST 8 cal data) Ring std 0,260 ole vers descrip AST 13 cal data) Ring std 0,405 ole vers descrip	ition 3 /614 weight(min 0,234 ions ition 3,5/614 weight(min 0,364 ions tion	g) max 0,286 5000 g) max 0,445	Lengt due t std 29,0) PZ. Lengt due t std 50,0	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5	nen st max 31,0 nen st max	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 NR 5 retched d weigh % +/- 5,0 Rings pe	.000,0 Lengt when std 8,0 .000,0 Lengt when std 13,5 er bags	0 h (cm) unstret min 7,4 0 h (cm) unstret min 12,8	cched max 8,6 Number cched max 14,2	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5 s per cart	Number of latex threads 2 con b son
item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa item code 1 tem 07000127 FRAI Product techni Bag weight (Kg 2,02 Product availa item code Item code	descrip AST 8 cal data) Ring std 0,260 ole vers descrip AST 13 cal data) Ring std 0,405 ole vers descrip	ition 3 /614 weight(min 0,234 ions ition 3,5/614 weight(min 0,364 ions ition	g) max 0,286 5000 g) max 0,445	Lengt due t std 29,0 PZ. Lengt due t std	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5	nen st max 31,0 nen st max	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 NR 5 retched d weigh % +/- 5,0 Rings pe	.000,0 Lengt when std 8,0 er bags .000,0 Lengt when std 13,5	0 h (cm) unstret min 7,4 0 h (cm) unstret min 12,8	cched max 8,6 Number cched max 14,2	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5	Number of latex threads 2 con b son
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code Item code Item code Item code Item code Froduct techni Bag weight (Kg 2,02 Product availa Item code	descrip AST 8 cal data) Ring std 0,260 0 evers descrip AST 13 cal data 0 Ring std 0,405 0 evers descrip AST NT	weight (min 0,234 ions weight (min 0,364 ions veight (min 0,364 ions otion p/614	g) max 0,286 5000 g) max 0,445	Lengt due t std 29,0) PZ. Lengt due t std 50,0	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5	nen st max 31,0 nen st max	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 NR 5 retched d weigh % +/- 5,0 Rings pe	.000,0 Lengt when std 8,0 .000,0 Lengt when std 13,5 er bags	0 h (cm) unstret min 7,4 0 h (cm) unstret min 12,8	cched max 8,6 Number cched max 14,2	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5 s per cart	Number of latex threads 2 con b son
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item code Product techni Bag weight (Kg 2,02 Product availa Item code Item code 1 (Kg 2,02 Product availa Item code Product techni	descrip AST & cal data) Ring std 0,260 0 evers descrip AST 13 cal data 0 Ring std 0,405 0 evers descrip AST NT cal data	<pre>ition /614 weight(min 0,234 ions ition 0,364 ions tion 0,364 ions fions 0,614 </pre>	g) max 0,286 5000 g) max 0,445 4 R/B	Lengt due t std 29,0 PZ. Lengt due t std 50,0	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5	nen st applie max 31,0 nen st applie max 52,5	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 NR 5 retched d weigh % +/- 5,0 Rings pe	.000,0 Lengt when std 8,0 .000,0 Lengt when std 13,5 er bags .000,0	0 h (cm) unstret min 7,4 0 10 h (cm) unstret min 12,8 0	cched max 8,6 Number cched max 14,2	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5 s per cart	Number of latex threads 2 con b son
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code 07000127 FRAI 07000127 FRAI 07000127 FRAI 07000127 FRAI 07000127 FRAI Product techni Bag weight (Kg 2,02 Product availa Item code Item code Item code Item code Item code Item code Product techni	descrip AST 8 cal data) Ring std 0,260 ole vers descrip AST 13 cal data 0 Ring std 0,405 ole vers descrip AST 13 cal data	<pre>ition /614 weight(min 0,234 ions tion /5/614 weight(min 0,364 ions tion / 0,364 ions //// //// ////</pre>	g) max 0,286 5000 g) max 0,445 4 R/B g)	Lengt due t std 29,0 PZ. Lengt due t std 50,0 7000 I Lengt due t	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5 PZ. PZ.	hen st applie max 31,0 hen st applie max 52,5	NR 7 retched d weigh % +/- 7,0 Rings pe NR 5 retched d weigh Rings pe Rings pe NR 7 Rings pe Rings pe Rings pe Rings pe Rings pe Rings pe Rings pe Rings pe	.000,0 Lengt when std 8,0 Lengt when std 13,5 Lengt Lengt when	0 h (cm) unstret min 7,4 0 h (cm) unstret 12,8 0 h (cm) unstret	cched max 8,6 Number 14,2 Number	% +/- 8,0 % +/- 5,0 % e of bag	10 Applied load Kg 2,5 s per cart 10 Applied load Kg 2,5 s per cart 10	Number of latex threads 2 con b son b con con b con b
Item code Item 07000191 FRAI Product techni Bag weight (Kg 1,82 Product availa Item code Item 07000127 FRAI Product techni Bag weight (Kg	descrip AST 8 cal data) Ring std 0,260 0le vers descrip AST 13 cal data 0 Ring std 0,405 0le vers descrip cal data 0, Ring descrip std 0,260 0le vers descrip std 0,260 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,260 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip descrip descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std 0,405 0le vers descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std descrip std	<pre>ition /614 weight(min 0,234 ions ition 0,364 ions tion 0,364 ions fions 0,614 </pre>	g) max 0,286 5000 g) max 0,445 4 R/B	Lengt due t std 29,0 PZ. Lengt due t std 50,0 7000 I Lengt due t std	h (cm) wh o the a min 27,0 R/B h (cm) wh o the a min 47,5 PZ. h (cm) wh	hen st max 31,0 hen st 52,5 hen st	NR 7 retched d weigh * +/- 7,0 Rings pe NR 5 retched d weigh * +/- 5,0 Rings pe NR 7 retched	.000,0 Lengt when std 8,0 .000,0 Lengt when std 13,5 .000,0 Lengt Lengt	0 h (cm) unstret min 7,4 0 h (cm) unstret min 12,8 0 h (cm)	cched max 8,6 Number	% +/- 8,0 % +/- 8, +/- 5,0	10 Applied load Kg 2,5 s per cart 10 Applied 2,5 s per cart 10 Applied	Number of latex threads 2 con b Son b con